

Contents

Introduction	5
Chapter 1.	
Physical concepts of Mössbauer spectroscopy	11
<i>1.1. Recoilless nuclear resonance emission and absorption</i>	11
<i>1.2. Temperature shift of the Mössbauer spectrum</i>	19
<i>1.3. Isomeric Shift of the Mössbauer spectrum</i>	19
<i>1.4. Quadrupole splitting</i>	21
<i>1.5. Emission Mössbauer spectroscopy of the after-effects of nuclear transformations in solids</i>	25
<i>1.6. One-electron exchange between neutral and ionized acceptor iron centers in GaAs and GaP</i>	27
<i>1.7. Observation of charge exchange by copper impurity atoms in AgCl</i>	38
<i>1.8. Tin chalcogenides</i>	41
<i>1.9. Compounds of tin with elements of the fifth group</i>	45
<i>1.10. Tin impurity atoms in silicon, germanium, and silicon-germanium solid</i>	53
Chapter 2.	
<i>Identification of neutral and ionized tin donor states in PbS and PbSe</i>	64
<i>2.1. Charge exchange of tin atoms in $Pb_{1-x}Sn_xS$ solid solutions</i>	64
<i>2.2. Charge exchange of tin atoms in $Pb_{1-x}Sn_xSe$ solid solutions</i>	67
<i>2.3. Local symmetry and electronic structure of atoms in the $Pb_{1-x-y}Sn_xNa_ySe$ lattices in the gapless state</i>	70
<i>2.4. Two-electron tin centers with negative correlation energy in lead chalcogenides. Determination of the Hubbard energy</i>	78
<i>2.5. Hubbard energy of two-electron tin centers in $PbS_{1-z}Te_z$ solid solutions</i>	89

2.6. Local symmetry and electronic structure of tin atoms in $(Pb_{1-x}Sn_x)_{1-z}In_zTe$ lattices	92
2.7. Statistics of electrons in PbS with U centers	96
2.8. Energy parameters of two-electron tin centers in PbSe	104
2.9. Detection of singly ionized state of two-electron tin centers with negative correlation energy in $Pb_{1-x}Sn_xS$ alloys	112
2.10. Two-electron centers with negative correlation energy $Pb_{1-x}Sn_xSe$ solid solutions	117
Chapter 3.	
Two-electron tin centers formed in lead chalcogenides as a result of nuclear transmutations	123
3.1. Position of antimony impurity atoms in a PbTe lattice, determined by emission Mössbauer spectroscopy	123
3.2. Antistructural defects in PbTe-type semiconductors	127
3.3. Determining the position of antimony impurity atoms in PbS by $^{119}Sb(^{119m}Sn)$ emission Mössbauer spectroscopy	131
3.4. Two-electron tin centers formed in lead chalcogenides as a result of nuclear transmutations	135
3.5. States of antimony and tin atoms in lead chalcogenides	148
3.6. Two-electron tin centers with a negative correlation energy in PbS	156
Chapter 4.	
Identification of tin states in chalcogenide glasses	172
4.1. The influence of the crystal-glass transition on the state of impurity tin atoms in chalcogenide semiconductors	172
4.2. Tin impurity atom states in modified As_2Se_3 films	181
4.3. Properties and structure of $(As_2Se_3)_{1-z}(SnSe)_{z-x}(GeSe)_x$ and $(As_2Se_3)_{1-z}(SnSe_2)_{z-x}(GeSe_2)_x$ glasses	186
4.4. Local structure of Ge-S, Ge-Se, and Ge-Te vitreous alloys	197

4.5. <i>Structure and physicochemical properties of glasses in the $(As_2Se_3)_{1-z}(SnSe_2)_{z-x}(Te_2Se)_x$ and $(As_2Se_3)_{1-z}(SnSe)_{z-x}(Te_2Se)_x$ systems</i>	202
Chapter 5.	
Two-electron tin centers formed in chalcogenide glasses as a result of nuclear transmutations	214
5.1. <i>Two-electron tin centers formed in glasses As_2S_3, As_2Se_3, and As_2Te_3 as a result of nuclear transformations</i>	214
5.2. <i>Impurity centers of tin in glassy arsenic chalcogenides</i>	224
5.3. <i>The state of tin impurity atoms in vitreous germanium chalcogenides</i>	233
Chapter 6.	
Electron exchange between impurity centers of tin in lead chalcogenides and chalcogenide glasses	247
6.1. <i>Identification of neutral and ionized tin donor states and the observation of two-electron exchange between tin centers in solid solutions based on PbS and $PbSe$</i>	247
6.2. <i>Mechanism of two-electron exchange between neutral and ionized centres of tin in $PbS_{1-x}Se_x$ solid solutions</i>	257
6.3. <i>Investigation of two-electron exchange between neutral and ionized impurity centers</i>	266
6.4. <i>Unconventional tin atom states in mixed silver and tin chalcogenides having $NaCl$ structure</i>	274
6.5. <i>Temperature dependence of the frequency of two-electron exchange between impurity negative-U tin centers in lead sulfide</i>	279
6.6. <i>Electron exchange between impurity centers of tin in lead chalcogenides</i>	283
6.7. <i>Electron exchange between tin impurity U^- centers in PbS_2Se_{1-z} alloys</i>	294
6.8. <i>The two-electron exchange between the U^- tin centers in crystal and Glass-like chalcogenide semiconductors</i>	307

Chapter 7.	
The electrical activity of germanium impurities in lead chalcogenides	312
<i>7.1. The electrical activity of isoelectronic germanium impurities in lead chalcogenides</i>	312
<i>7.2. Arrangement of arsenic atoms in the PbTe lattice</i>	317
<i>7.3. Observation of Bose condensation in $(\text{Pb}_{0.4}\text{Sn}_{0.6})_{0.86}\text{In}_{0.14}\text{Te}$ semiconductor solid solutions using Mössbauer spectroscopy</i>	321
<i>7.4. Two-electron germanium centers with a negative correlation energy in lead chalcogenides</i>	327
<i>7.5. Mössbauer U^- centers as tools for studying the Bose condensation in semiconductors</i>	339
Conclusions	351
Appendix	
Determination of the composition of chalcogenide semiconductors X-Ray Fluorescence Analysis	352
<i>A.1. Determination of the composition of binary chalcogenide glasses by X-Ray fluorescence analysis</i>	352
<i>A.2. Determination of the composition of multicomponent chalcogenide semiconductors by x-ray fluorescence analysis</i>	360
<i>A.3. X-ray fluorescence analysis of $\text{Ge}_{1-x}\text{Se}_x$, $\text{As}_{1-x}\text{Se}_x$, and $\text{Ge}_{1-x-y}\text{As}_y\text{Se}_x$ glasses using electronic excitation</i>	372
References	383